

S/N 10/086,994

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE**RECEIVED  
CENTRAL FAX CENTER****DEC 10 2004**

Applicant: BLOMQUIST ET AL. Examiner: M. DESANTO  
Serial No.: 10/086,994 Group Art Unit: 3763  
Filed: FEBRUARY 28, 2002 Docket No.: 14485.144US01  
Title: SYRINGE PUMP CONTROL SYSTEMS AND METHODS

CERTIFICATE UNDER 37 CFR 1.6(d):

I hereby certify that this correspondence is being transmitted by facsimile to: Commissioner for Patents, Mail Stop AF,  
P.O. Box 1450, Alexandria, VA 22313-1450 (fax no. 703-872-9306) on December 10, 2004.

By: Carla J. MarchName: CARLA J. MARCHPETITION FOR EXTENSION OF TIME

Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

In accordance with the provisions of 37 C.F.R. §1.136(a), it is respectfully requested that a one-month extension of time be granted in which to respond to the outstanding Office Action mailed August 11, 2004, said period of response being extended from November 11, 2004 to December 11, 2004.

Please charge our Deposit Account No. 13-2725 in the amount of \$120.00 to cover the required extension fee for a large entity.

Respectfully submitted,

MERCHANT & GOULD P.C.  
P.O. Box 2903  
Minneapolis, Minnesota 55402-0903  
(612) 332-5300

Date: Dec. 10, 2004

Katherine M. DeVries Smith  
Katherine M. DeVries Smith  
Reg. No. 42,157  
KDS:PLSklg

**23552**

PATENT TRADEMARK OFFICE

**BEST AVAILABLE COPY**

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**